

TABLA DE CONSUMO – P.R.F.V.

CANTIDAD DE FIBRA DE VIDRIO Y RESINA POLIÉSTER POR M2 Y POR CAPA

Capas	Fibra 450gr/m2	Resina Pol.	Fibra 300gr/m2	Resina Pol.	Tela 220gr/m2	Resina Pol.
1	0,450	1,125	0,300	0,750	0,220	0,250
2	0,900	2,250	0,600	1,500	0,440	0,500
3	1,350	3,380	0,900	2,250	0,660	0,750
4	1,800	4,500	1,200	3,000	0,880	1,000
5	2,250	5,600	1,500	3,750	1,100	1,250

*Cantidades expresadas en Kg

Capas	Roving 15 c.	Resina Pol.	Roving 30 c.	Resina Pol.	Roving 60 c.	Resina Pol.
1	0,400	0,600	0,600	0,900	0,900	1,350
2	0,800	1,200	1,200	1,800	1,800	2,700
3	1,200	1,800	1,800	2,700	2,700	4,050
4	1,600	2,400	2,400	3,600	3,600	5,400
5	2,000	3,000	3,000	4,500	4,500	6,750

*Cantidades expresadas en Kg